

P: (800)325-7734 | F: (512)341-3931 | W: www.prlabs.com

## CERTIFICATE OF ANALYSIS

<b>Product</b>	BD Mud Pack	<b>Lot Number</b>	201117-BDX3675
<b>Item Number</b>	BDX3675	<b>Country of Origin</b>	USA

TEST	SPECIFICATION	RESULTS	METHOD
<b>Identity</b>			
Appearance	Powder, To Match Standard	Pass	WI-QC-017
Powder Color	Light-Green to Brownish-Green, To Match Standard	Pass	WI-QC-017
Powder Odor	Characteristic, To Match Standard	Pass	WI-QC-017

<b>Purity</b>			
Total Aerobic Microbial Count	$\leq 1 \times 10^7$ cfu/g	Pass	USP <61> or equivalent
Total Combined Yeast and Mold Count	$\leq 1 \times 10^5$ cfu/g	Pass	USP <61> or equivalent
Enterobacterial Count (Bile-Tolerant Gram Neg. Bacteria)	$\leq 1 \times 10^4$ cfu/g	Pass	02-209-01
<i>Staphylococcus aureus</i>	None detected in 10 g	Pass	USP <62> or equivalent
<i>Escherichia coli</i>	None detected in 10 g	Pass	USP <62> or equivalent
<i>Salmonella spp.</i>	None detected in 10 g	Pass	USP <62> or equivalent
Lead (Pb)	$\leq 10$ ppm	Pass	ICPMS
Mercury (Hg)	$\leq 1$ ppm	Pass	ICPMS
<i>Klebsiella pneumoniae</i>	None detected in 10 g	Pass	02-220.6.1
<i>Streptococcus pyogenes</i>	None detected in 10 g	Pass	02-229
<i>Pseudomonas aeruginosa</i>	None detected in 10 g	Pass	USP <62> or equivalent



**PREMIER RESEARCH LABS**  
3500 Wadley Place, Building B  
Austin, TX 78728

**P:** (800)325-7734 | **F:** (512)341-3931 | **W:** www.prlabs.com

Composition			
Visual Packaging Inspection	No Gross Defects	No gross defects	WI-QC-007
Moisture	≤ 10%	Pass	USP <731> or equivalent
Weight Verification	326-349 g	Pass	WI-QC-007

QUALITY APPROVAL		
Prepared By / Date	Approved By / Date	Final Disposition
<i>Delia Kraus</i> 3/3/23	<i>Emily Ruzar</i> 3-3-23	PASS

*This product has been reviewed and approved by the Premier Research Labs Quality Unit. The results reported in this certificate of analysis (COA) are truthful and representative of the lot. The finished product and all raw materials used to manufacture the batch have been found to meet required specification limits in accordance with 21 CFR 111 (cGMP) regulations and the product is released.*